

Food Sources of Vitamin C

Information about Vitamin C (Ascorbic Acid)

- Vitamin C is a water-soluble vitamin. It is not stored in large amounts in the body. Any extra amount is lost through the urine. You need to include vitamin C rich foods in your diet every day.
- Vitamin C is important for growth and repair of bones, teeth, skin and other tissues.
- Vitamin C has many other roles in the body and can also:
 - Increase your body's absorption of iron from plant-based foods.
 - Help to prevent cell damage and may reduce your risk for certain cancers and other chronic diseases.
 - Protect you from infections by keeping your immune system healthy.
- Taking high doses of vitamin C has not been proven to prevent colds. It may cause digestive problems.

How Much Vitamin C Should I Aim For?

- Most people can get enough vitamin C by eating a healthy diet. The following table shows you how much vitamin C you need.
- If you smoke you need an extra 35 milligrams (mg) of vitamin C per day.

<i>Age in years</i>	<i>Aim for an intake of * mg/day</i>	<i>Stay below* mg/day</i>
Men 19 and older	90	2000
Women 19 and older	75	2000
Pregnant Women 19 and older	85	2000
Breastfeeding Women 19 and older	120	2000

*This amount includes sources of vitamin C from food and supplements

Vitamin C Content of Some Common Foods

Vegetables and fruit are the best sources of vitamin C. The following table shows you which foods are sources of vitamin C.

<i>Food</i>	<i>Serving size</i>	<i>Vitamin C (mg)</i>
<i>Vegetables and Fruit</i>		
<i>Vegetables</i>		
Peppers (red, yellow), raw	125 mL (½ cup)	101-144
Peppers (red, green), cooked	125 mL (½ cup)	121-132
Peppers, green, raw	125 mL (½ cup)	63
Broccoli, cooked	125 mL (½ cup)	54
Cabbage, red, raw	250 mL (1 cup)	42
Brussels sprouts, cooked	125 mL (4 sprouts)	38-52
Kohlrabi, cooked	125 mL (½ cup)	47
Broccoli, raw	125 mL (½ cup)	42
Snow peas, cooked	125 mL (½ cup)	41
Cabbage, cooked	125 mL (½ cup)	30
Cauliflower, raw or cooked	125 mL (½ cup)	27-29
Kale, cooked	125 mL (½ cup)	28
Rapini, cooked	125 mL (½ cup)	24
Potato, with skin, cooked	1 medium	14-31
Bok choy, cooked	125 mL (½ cup)	23
Sweet potato, with skin, cooked	1 medium	22
<i>Food</i>	<i>Serving size</i>	<i>Vitamin C (mg)</i>
Asparagus, frozen, cooked	6 spears	22
Balsam pear/bitter melon	125 mL (½ cup)	22

Turnip greens, cooked	125 mL (½ cup)	21
Snow peas, raw	125 mL (½ cup)	20
Collards, cooked	125 mL (½ cup)	18
Tomato, raw	1 medium	17
Tomato sauce, canned	125 mL (½ cup)	8-9
Tomatoes, canned, stewed	125 mL (½ cup)	11-12
<i>Fruit</i>		
Guava	1 fruit	206
Papaya	½ fruit	94
Kiwifruit	1 large	84
Orange	1 medium	59-83
Lychee	10 fruits	69
Strawberries	125 mL (½ cup)	52
Pineapple	125 mL (½ cup)	42-49
Grapefruit (pink, red)	½ fruit	38-47
Clementine	1 fruit	36
Cantaloupe	125 mL (½ cup)	31
Mango	½ fruit	38
<i>Food</i>	<i>Serving size</i>	<i>Vitamin C (mg)</i>
Avocado, Florida	½ fruit	26
Soursop	125 mL (½ cup)	25
Tangerine or mandarin	1 fruit	24
Persimmon	1 fruit	17

Berries (raspberries, blueberries, blackberries)	125 mL (½ cup)	14-17
<i>Juice</i>		
Juice (orange, grapefruit, apple, pineapple, grape), Vitamin C added	125 mL (½ cup)	23-66
Fruit and vegetable cocktail	125 mL (½ cup)	35-73
Guava nectar	125 mL (½ cup)	26
Grains and Grain Products	This food group contains very little of this nutrient.	
Protein Foods		
<i>Milk and Alternatives</i>	This food group contains very little of this nutrient.	
<i>Meat and Alternatives</i>	This food group contains very little of this nutrient.	

Source: "Canadian Nutrient File 2015" www.hc-sc.gc.ca/fn-an/nutrition/fiche-nutri-data/index-eng.php. [Accessed Oct 17 2016].



Notes

Additional Notes From Your Health Care Professional

Distributed by:

